AUTHOR INDEX

Aisaka, K., Kihara, T., Koike, M., Kuroki, M. and Ishihara, T.
Yohimbine on urethane-induced hyperglycemia 523
Aizawa, Y.
See Wakabayashi, H.
Akiyama, K.
See Hashimoto, K.
Anamura, S.
See Dohi, T.
Aoki, C.
See Iwabuchi, Y.
Aono, Y.
See Ito, M.
Araki, Y.
See Gomita, Y.
See Oishi, R.

Bandô, Y.
See Kunitomo, M.
Becket, G.
See Moochhala, S.M.
Bian, K. and Toda, N.
Cerebral vasodilator action of flunarizine 83

Chiba, S.
See Haniuda, M.
See Iwatsuki, K.
See Kawai, K.

Dohi, T., Terada, H., Anamura, S., Okamoto, H. and Tsujimoto, A.
Phenolic medicaments and anti-inflammation 535

Egashira, T.
See Obata, T.

Fujii, T.
See Morimoto, H.
Fukuchi, I.
See Nakahiro, M.
Fukuda, N.
See Wada, T.
Fukui, H., Wang, N.P., Sawai, S., Tanaka, F. and Wada, H.
Hepatic histamine H_1 receptor 351
Furuno, K.
See Gomita, Y.
See Oishi, R.
Furusawa, K.
See Kai, H.
Futagawa, Y.
See Kunitomo, M.

Gomi, Y.
See Suzuki, N.
Gomita, Y.
See Oishi, R.
Gomita, Y., Furuno, K. and Araki, Y.
Pharmacokinetics of ISDN and stress 297
Goto, G.
See Wada, T.
Goto, Katsutoshi
See Li, L.
Goto, Kazuhiro
See Hisadome, M.

Hagiwara, Y., Shimo-oka, T., Okamura, K. and Ozawa, E.
Assay of myogenic cell growth 53
Haniuda, M. and Chiba, S.
Change in blocking effect of diltiazem 139
Hara, N.
See Nishiwaki, H.
Haruta, K.
See Iwatsuki, K.
Hashimoto, K.
See Motomura, S.
Hashimoto, K., Akiyama, K. and Mitsuhashi, H.
Antiarrhythmic effect of nicainoprol 245
Hashimoto, T.
See Koda, H.
Hata, T.
See Nishimura, Y.
Hata, T., Itoh, E., Oyama, R., Kawabata, A. and Kita, T.
Substance P sensitivity in stressed mice 293
Hata, T., Nishimura, Y., Itoh, E., Kawabata, A. and Kita, T.
Active avoidance behavior in stress rat 436
Hayashi, Y.
See Wang, Y.-T.
Hisadome, M., Terasawa, M., Goto, Kazuhiro, Kawazoe, Y. and Okumoto, T.
Stimulation of phagocytosis by traxanox 275
Homma, N.
See Iwatsuki, K.
Hori, M., Shimizu, K., Nakajyo, S. and Urakawa, N.
Cytoplasmic Ca^{2+} in guinea pig ileum 540
Horiuchi, A.
See Iwatsuki, K.
Hoshino, M.
See Takeda, Y.
Hu, G.T.M.
See Moochhala, S.M.

Ida, Y.
See Tanaka, M.

AUTHOR INDEX

Aisaka, K., Kihara, T., Koike, M., Kuroki, M. and Ishihara, T.
Yohimbine on urethane-induced hyperglycemia 523
Aizawa, Y.
See Wakabayashi, H.
Akiyama, K.
See Hashimoto, K.
Anamura, S.
See Dohi, T.
Aoki, C.
See Iwabuchi, Y.
Aono, Y.
See Ito, M.
Araki, Y.
See Gomita, Y.
See Oishi, R.

Bandô, Y.
See Kunitomo, M.
Becket, G.
See Moochhala, S.M.
Bian, K. and Toda, N.
Cerebral vasodilator action of flunarizine 83

Chiba, S.
See Haniuda, M.
See Iwatsuki, K.
See Kawai, K.

Dohi, T., Terada, H., Anamura, S., Okamoto, H. and Tsujimoto, A.
Phenolic medicaments and anti-inflammation 535

Egashira, T.
See Obata, T.

Fujii, T.
See Morimoto, H.
Fukuchi, I.
See Nakahiro, M.
Fukuda, N.
See Wada, T.
Fukui, H., Wang, N.P., Sawai, S., Tanaka, F. and Wada, H.
Hepatic histamine H_1 receptor 351
Furuno, K.
See Gomita, Y.
See Oishi, R.
Furusawa, K.
See Kai, H.
Futagawa, Y.
See Kunitomo, M.

Gomi, Y.
See Suzuki, N.
Gomita, Y.
See Oishi, R.
Gomita, Y., Furuno, K. and Araki, Y.
Pharmacokinetics of ISDN and stress 297
Goto, G.
See Wada, T.
Goto, Katsutoshi
See Li, L.
Goto, Kazuhiro
See Hisadome, M.

Hagiwara, Y., Shimo-oka, T., Okamura, K. and Ozawa, E.
Assay of myogenic cell growth 53
Haniuda, M. and Chiba, S.
Change in blocking effect of diltiazem 139
Hara, N.
See Nishiwaki, H.
Haruta, K.
See Iwatsuki, K.
Hashimoto, K.
See Motomura, S.
Hashimoto, K., Akiyama, K. and Mitsuhashi, H.
Antiarrhythmic effect of nicainoprol 245
Hashimoto, T.
See Koda, H.
Hata, T.
See Nishimura, Y.
Hata, T., Itoh, E., Oyama, R., Kawabata, A. and Kita, T.
Substance P sensitivity in stressed mice 293
Hata, T., Nishimura, Y., Itoh, E., Kawabata, A. and Kita, T.
Active avoidance behavior in stress rat 436
Hayashi, Y.
See Wang, Y.-T.
Hisadome, M., Terasawa, M., Goto, Kazuhiro, Kawazoe, Y. and Okumoto, T.
Stimulation of phagocytosis by traxanox 275
Homma, N.
See Iwatsuki, K.
Hori, M., Shimizu, K., Nakajyo, S. and Urakawa, N.
Cytoplasmic Ca^{2+} in guinea pig ileum 540
Horiuchi, A.
See Iwatsuki, K.
Hoshino, M.
See Takeda, Y.
Hu, G.T.M.
See Moochhala, S.M.

Ida, Y.
See Tanaka, M.

Imaizumi, T.
See Yamasaki, K.
Imamura, N.
See Nakajima, S.
Imanishi, K.
See Takase, H.
Inoki, R.
See Tsai, H.-Y.
Inoue, S.
See Okamura, T.
Ishida, F.
See Kobayashi, Masahiko
Ishihara, T.
See Aisaka, K.
Ishihara, Y.
See Takeuchi, K.
Ishikawa, M., Takayanagi, Y. and Sasaki, K.
Ifosfamide urotoxicity and disulfiram 147
Ishikawa, T.
See Li, L.
Ishiyama, H.
See Yamasaki, K.
Isobe, J.
See Takeda, Y.
Ito, M.
See Nagamatsu, T.
Ito, M., Aono, Y., Suzuki, A., Nagamatsu, T. and Suzuki, Yoshio
Accelerated passive Heymann nephritis 101
Itoh, E.
See Hata, T.
See Nishimura, Y.
Itoh, R.
See Yamada, K.
Itoh, Y., Oishi, R., Nishibori, M. and Saeki, K.
Nociceptive stimuli and brain histamine 449
Iwabuchi, Y., Aoki, C. and Masuhara, T.
Metaraminol on submandibular gland 491
Iwata, N.
See Kozuka, M.
See Matsui, Y.
Iwatsuki, K., Horiuchi, A., Yonekura, H., Haruta, K., Homma, N. and Chiba, S.
DN-9693 on pancreatic exocrine secretion 77

Kai, H., Saito, M., Furusawa, K., Oda, Y., Okano, Y., Takahama, K. and Miyata, T.
Phospholipids and mucociliary function 375
Kamataki, T.
See Miura, T.
Kamei, T.
See Kobayashi, Masahiko
Kamiya, H.
See Takeda, Y.
Kanbe, T.
See Yamasaki, K.
Kashimoto, K.
See Takeda, Y.
Kato, H.
See Kurihara, J.
Katsura, M.
See Koda, H.
Kawabata, A.
See Hata, T.
See Nishimura, Y.
Kawai, K. and Chiba, S.
Femoral vessel reactivity during cooling 544
Kawazoe, Y.
See Hisadome, M.
Kihara, T.
See Aisaka, K.
Kimura, S.
See Li, L.
Kita, T.
See Hata, T.
See Nishimura, Y.
Kitada, Y.
See Narimatsu, A.
Kobayashi, Masahiko, Ishida, F., Takahashi, T., Taguchi, K., Watanabe, Keiko, Ohmura, I. and Kamei, T.
Hypolipidemic effect of MK-733 125
Kobayashi, Masaki
See Narimatsu, A.
Kobayashi, S.
See Tanaka, E.
Koda, A.
See Mori, H.
Koda, H., Hashimoto, T. and Kuriyama, K.
Buflomedil and striatal DA neurons 215
Koda, H., Hashimoto, T., Katsura, M. and Kuriyama, K.
OM-853 and cerebral 5-HT neurons 413
Kodama, T.
See Miura, T.
Koh, O.S.
See Moochhala, S.M.
Koike, M.
See Aisaka, K.
Komori, M.
See Miura, T.
Kondo, N.
See Nagamatsu, T.
Kozuka, M. and Iwata, N.
SAM on ischemic brain metabolism 173
Kunitomo, M., Futagawa, Y., Tanaka, Y., Yamaguchi, Y. and Bandô, Y.
CHOL and DEX on vitamin D toxicity 381
Kuribara, H. and Tadokoro, S.
Mouse strain differences 197
Kurihara, E.
See Wada, T.
Kurihara, J., Nishimura, H., Oda, N. and Kato, H.
Baroreflex in cerebral ischemia model 255

Kuriyama, K.
See Koda, H.
Kurokawa, K.
See Nakajima, S.
Kuroki, M.
See Aisaka, K.

Lee, E.J.D.
See Moochhala, S.M.
Li, L., Ishikawa, T., Miyauchi, T., Yanagisawa, M., Kimura, S., Goto, Katsutoshi and Masaki, T.
Pressor response to endothelin 549
Lin, J.-G.
See Tsai, H.-Y.
Lin, W.-C., Yano, S. and Watanabe, Kazuhiko
GABA antagonists and acid secretion 267

Manda, T.
See Nakamura, T.
Masaki, T.
See Li, L.
Masuda, K.
See Nakamura, T.
Masuhara, T.
See Iwabuchi, Y.
Masuoka, Y.
See Wada, T.
Matsuda, T.
See Mori, M.
Matsui, Y., Yamagami, I. and Iwata, N.
SAM improves CA accumulation 119
Matsumoto, S.
See Nakamura, T.
Mimura, G.
See Nagamine, F.
Minami, Y.
See Okamura, T.
Mitsuhashi, H.
See Hashimoto, K.
Miura, O.
See Takase, H.
Miura, T., Shimada, H., Ohi, H., Komori, M., Kodama, T. and Kamataki, T.
Interspecies homology of cytochrome P-450 365
Miyata, T.
See Kai, H.
Miyauchi, T.
See Li, L.
Moochhala, S.M., Lee, E.J.D., Hu, G.T.M., Koh, O.S. and Becket, G.
Effects of bromocriptine on drug metabolism 285
Mori, H., Xu, Q., Sakamoto, O., Uesugi, Y., Koda, A. and Nishioka, I.
Antitumor activity of Chinese herbs 423
Mori, J.
See Nakamura, T.
Mori, M., Tsushima, H. and Matsuda, T.
Vasopressin antagonist on antidiuresis 357
Morimoto, H., Fujii, T. and Senoh, H.
Neurogenic plasma extravasation 389
Morishita, S. and Saito, T.
Effect of progesterone on PI-response 95
Morita, M.
See Narimatsu, A.
Motomura, S. and Hashimoto, K.
H_2-receptor and AV nodal conduction 325
Murakami, K.
See Nagamine, F.
Muroyama, A.
See Narimatsu, A.

Nagamatsu, T.
See Ito, M.
Nagamatsu, T., Tsukushi, Y., Ito, M., Kondo, N. and Suzuki, Yoshio
Antinephritic effect of OKY-046 (1) 501
Nagamine, F., Murakami, K., Mimura, G. and Sakanashi, M.
Effects of beta-blockers on diabetic heart 67
Nagatomo, T.
See Tsuchihashi, H.
Nakadate, T.
Mechanism of skin tumor promotion 1
Nakahiro, M., Fukuchi, I., Uchida, S. and Yoshida, H.
Pantoyl-GABA on ChAT activity 407
Nakajima, R.
See Wada, T.
Nakajima, S., Kurokawa, K., Imamura, N. and Ueda, M.
Vasodilation by pinacidil and Ca^{2+} levels 205
Nakajyo, S.
See Hori, M.
Nakamura, T., Masuda, K., Matsumoto, S., Oku, T., Manda, T., Mori, J. and Shimomura, K.
Effect of FK973 on the cell cycle 317
Nakashima, M.
See Wang, Y.-T.
Narimatsu, A., Kitada, Y., Satoh, N., Morita, M., Muroyama, A., Kobayashi, M. and Ohizumi, Y.
In vitro cardiac effects of MCI-154 397
Narumi, S.
See Wada, T.
Niida, H.
See Takeuchi, K.
Nishibori, M.
See Itoh, Y.
Nishikawa, T., Tomori, Y., Yamashita, S. and Shimizu, S.
Differential inhibition of PG biosynthesis 483
Nishimura, H.
See Kurihara, J.
Nishimura, Y.
See Hata, T.
Nishimura, Y., Hata, T., Kawabata, A., Itoh, E. and

Kita, T.
Passive avoidance test in stressed mice 111
Nishioka, I.
See Mori, H.
Nishiwaki, H., Okada, M., Hara, N., Takeuchi, K. and Okabe, S.
Adrenalectomy on ethanol-induced lesion 27

Obata, T., Yamashita, H., Egashira, T. and Yamanaka, Y.
MAO inhibition by the carcinogen DEN 151
Oda, N.
See Kurihara, J.
Oda, Y.
See Kai, H.
Ogata, K.
See Sugiyama, K.
Ogino, T.
See Sugiyama, K.
Oguchi, K.
See Tanaka, E.
Ohi, H.
See Miura, T.
Ohizumi, Y.
See Narimatsu, A.
Ohmura, I.
See Kobayashi, Masahiko
Ohno, M., Yamamoto, T. and Ueki, S.
Isofloxythepin and wet-dog shaking 21
Ohta, A.
See Yamada, K.
Oishi, R.
See Itoh, Y.
Oishi, R., Furuno, K., Gomita, Y., Araki, Y. and Saeki, K.
Effect of histidine on brain amino acids 143
Okabe, S.
See Nishiwaki, H.
See Takeuchi, K.
Okada, M.
See Nishiwaki, H.
See Takeuchi, K.
Okamoto, H.
See Dohi, T.
Okamura, K.
See Hagiwara, Y.
Okamura, T., Inoue, S., Minami, Y., Okunishi, H. and Toda, N.
Endothelium and PGH_2 action 511
Okano, Y.
See Kai, H.
Oke, J.M. and Olowookorun, M.O.
Hypoglycemia by thiadiazolyl derivatives 135
Oku, T.
See Nakamura, T.
Okuda, M.
See Takeuchi, T.
Okuma, Y. and Osumi, Y.
Stimulation of brain and gastric acid 37
Okumoto, T.
See Hisadome, M.
Okunishi, H.
See Okamura, T.
Olowookorun, M.O.
See Oke, J.M.
Osumi, Y.
See Okuma, Y.
Oyama, R.
See Hata, T.
Ozaki, Y., Soedigdo, S., Wattimena, Y.R. and Suganda, A.G.
Antiinflammatory active principle of Mace 155
Ozawa, E.
See Hagiwara, Y.

Saeki, K.
See Itoh, Y.
See Oishi, R.
Saito, M.
See Kai, H.
Saito, T.
See Morishita, S.
Saji, Y.
See Wada, T.
Sakamoto, O.
See Mori, H.
Sakanashi, M.
See Nagamine, F.
Sasaki, K.
See Ishikawa, M.
Sato, R.
See Wang, Y.-T.
Satoh, N.
See Narimatsu, A.
Satoh, T.
See Wakabayashi, H.
Sawai, S.
See Fukui, H.
Senoh, H.
See Morimoto, H.
Shimada, H.
See Miura, T.
Shimada, K.
See Wakabayashi, H.
Shimizu, K.
See Hori, M.
Shimizu, M.
See Takeuchi, T.
Shimizu, S.
See Nishikawa, T.
Shimo-oka, T.
See Hagiwara, Y.
Shimomura, K.
See Nakamura, T.

Soedigdo, S.
See Ozaki, Y.
Sudo, J.
See Suzuki, Yoshihiro
Suganda, A.G.
See Ozaki, Y.
Sugiura, N.
See Takeda, Y.
Sugiyama, K., Ogino, T. and Ogata, K.
Histamine-releasing peptide from albumin 165
Suzuki, A.
See Ito, M.
Suzuki, N. and Gomi, Y.
Nifedipine on circular muscle 59
Suzuki, N. and Gomi, Y.
Bicarbonate and cocaine 531
Suzuki, Yoshihiro and Sudo, J.
Cephaloridine-nephrotoxicity 43
Suzuki, Yoshio
See Ito, M.
See Nagamatsu, T.

Tadokoro, S.
See Kuribara, H.
Taguchi, K.
See Kobayashi, Masahiko
Takahama, K.
See Kai, H.
Takahashi, T.
See Kobayashi, Masahiko
Takano, Y.
See Takeda, Y.
Takase, H., Imanishi, K., Miura, O., Yumioka, E. and Watanabe, H.
Anti-ulcer effect of Oren-gedoku-to 301
Takayanagi, Y.
See Ishikawa, M.
Takeda, Y., Hoshino, M., Yanaihara, N., Yanaihara, C., Isobe, J., Sugiura, N., Kashimoto, K., Takano, Y. and Kamiya, H.
CCK receptors in pancreas and brain 471
Takeuchi, K.
See Nishiwaki, H.
Takeuchi, K., Ishihara, Y., Okada, M., Niida, H. and Okabe, S.
A lucite chamber and rat stomach 235
Takeuchi, T., Shimizu, M., Okuda, M. and Yagasaki, O.
External Ca^{2+} and prostaglandins 455
Tan, S.-F.
See Wong, P.T.-H.
Tanaka, E., Kobayashi, S., Uchida, E., Oguchi, K. and Yasuhara, H.
Antipyrine metabolism in DA rat 433
Tanaka, F.
See Fukui, H.
Tanaka, M., Ida, Y., Tsuda, A. and Tsujimaru, S.
Neurotropin and brain NA metabolism 187
Tanaka, Y.
See Kunitomo, M.
Terada, H.
See Dohi, T.
Terasawa, M.
See Hisadome, M.
Toda, N.
See Bian, K.
See Okamura, T.
Tomori, Y.
See Nishikawa, T.
Tsai, H.-Y., Lin, J.-G. and Inoki, R.
Electroacupuncture, serotonergic neurons 181
Tsuchihashi, H., Yokoyama, H. and Nagatomo, T.
^{3}H-CGP12177 binding to beta-adrenoceptors 11
Tsuda, A.
See Tanaka, M.
Tsujimaru, S.
See Tanaka, M.
Tsujimoto, A.
See Dohi, T.
Tsukushi, Y.
See Nagamatsu, T.
Tsushima, H.
See Mori, M.

Uchida, E.
See Tanaka, E.
Uchida, S.
See Nakahiro, M.
Ueda, M.
See Nakajima, S.
Ueki, S.
See Ohno, M.
Uematsu, T.
See Wang, Y.-T.
Uesugi, Y.
See Mori, H.
Urakawa, N.
See Hori, M.

Wada, H.
See Fukui, H.
Wada, T., Nakajima, R., Kurihara, E., Narumi, S., Masuoka, Y., Goto, G., Saji, Y. and Fukuda, N.
Selective anxiolytic DN-2327 337
Wakabayashi, H., Shimada, K., Aizawa, Y. and Satoh, T.
Effect of drugs on pineal indoleamines 225
Wang, N.P.
See Fukui, H.
Wang, Y.-T., Uematsu, T., Sato, R., Hayashi, Y. and Nakashima, M.
Effects of alpha-ANP on rat aorta 463
Watanabe, H.
See Takase, H.

Watanabe, Kazuhiko
See Lin, W.-C.
Watanabe, Keiko
See Kobayashi, Masahiko
Wattimena, Y.R.
See Ozaki, Y.
Wong, P.T.-H. and Tan, S.-F.
5-(Ortho-methoxyphenyl)methylenehydantoin 309

Xu, Q.
See Mori, H.

Yabuuchi, Y.
See Yamasaki, K.
Yagasaki, O.
See Takeuchi, T.
Yamada, K., Itoh, R. and Ohta, A.
Alkyl pyrazine on vaginal opening 529
Yamagami, I.
See Matsui, Y.
Yamaguchi, Y.
See Kunitomo, M.
Yamamoto, T.
See Ohno, M.
Yamanaka, Y.
See Obata, T.
Yamasaki, K., Ishiyama, H., Imaizumi, T., Kanbe, T. and Yabuuchi, Y.
OPC-12759 on experimental gastric ulcer 441
Yamashita, H.
See Obata, T.
Yamashita, S.
See Nishikawa, T.
Yanagisawa, M.
See Li, L.
Yanaihara, C.
See Takeda, Y.
Yanaihara, N.
See Takeda, Y.
Yano, S.
See Lin, W.-C.
Yasuhara, H.
See Tanaka, E.
Yokoyama, H.
See Tsuchihashi, H.
Yonekura, H.
See Iwatsuki, K.
Yoshida, H.
See Nakahiro, M.
Yumioka, E.
See Takase, H.

SUBJECT INDEX

Acetylcholine 407
Acetylcholine release 455
N-Acetylserotonin 225
Active avoidance behavior 436
S-Adenosyl-L-methionine 119, 173
Adrenalectomy 27
Adrenaline 523
α_2-Adrenergic 523
β-Adrenoceptors 11
Afterdischarge 21
Alkyl pyrazine 529
Alloxan-induced diabetic 135
Alzheimer's disease 407
Ambulatory activity 197
Amino acid 143
Aminopyrine 483
α-ANP 463
Anterior hypothalamus 37
Anti-GBM nephritis 501
Anti-inflammation 155, 535
Anti-ulcer effect 301
Anticonvulsant 309
Antidementia drug 407
Antidiuresis 357
Antipyrine 433
Antitumor activity 423
Antitumor antibiotic 317
Anxioselective anxiolytic 337
Aorta (rat) 463
Arachidonic acid cascade 1
Artery (dog) 511
Aspirin 483
Atenolol 67
AV nodal conduction 325
Azathioprine 101

Baroreceptor reflex 255
Behavioral response 293
Bicarbonate 531
Bicuculline 267
Bioassay 53
Blood pressure 549
Brain 143
Brain metabolism 173
Brain regions 187
Bromocriptin 285
Buflomedil 215

Ca^{2+} 119, 455
Ca^{2+} entry blocker 83
Ca^{2+}-contracture in skinned fiber 205
Calcium deposition 381
Calmodulin inhibitors 540
Cannula inserting method 544
Carbon clearance 275
Cardiotonic agent 397
Carrageenin-induced edema 155
Catalase 43
CCK receptors 471
CCK-8 and its analogues 471
Cell cycle 317
Cephaloridine 43
Cerebral artery 83
Cerebral cortex 471
Cerebral ischemia 255
^{3}H-CGP12177 11
Chinese herb 423
Cholesterol 381
Cholesterol rich diet 125
Choline acetyltransferase 407
Cimetidine 325
Circular muscle 59
Cocaine 531
Cooling 544
Creatine kinase 53
Crescent 501
Cyclic AMP 77
Cyclic nucleotides 205
Cytochrome P-450 365
Cytochrome P-450 monooxygenase 285
Cytoplasmic Ca^{2+} 540

Debrisoquine 433
Dexamethasone 381
Diazepam 225
Diethylnitrosamine 151
Diltiazem 139
Dimaprit 325
Dioxamides 135
Disulfiram 147
Divalent cation 351
DN-2327 337
DN-9693 77
Dopamine receptors 215
Dysautonomia 111

Electroacupuncture 181
Electrolyte 119
Emotionality 436
Endothelin 549
Endothelium-dependent contraction 511
Ethanol 27
Exocrine secretion 77
Experimentally diabetic rat 67

Femoral artery and vein (dog, monkey) 544
FK973 317
Flunarizine 83

GABA 267
Gastric acid secretion 37, 267, 301
Gastric lesion 27
Gastric potential difference 301
Gastric secretion 441
Gastric ulcer 441
Glucose 119
Glycoprotein species 491

Heart (rat) 11
Hepatic 285
Herbal drugs 301
Hippocampal stimulation 21
Histamine 325, 449
Histamine H_1 receptor 351
Histamine H_2 receptor 325
Histamine release 165
Histamine turnover 449
L-Histidine 143
HMG-CoA reductase inhibitor 125
Human serum albumin 165
Humoral antibody formation 423
5-Hydroxytryptamine 181, 225
5-Hydroxytryptamine autoreceptor 413
5-Hydroxytryptamine release 413
Hypercalcemia 381, 523
Hypolipidemic drug 125
Hypothalamus 357

Ifosfamide 147
Ileum (guinea pig) 540
Immunostimulant 423
Indomethacin 455, 483
Interspecies homology 365
Intrathecal injection 181
Ischemia 119, 173
Isofloxythepin 21
Isolated myocardium 67
Isoprenaline *See* Isoproterenol
Isoproterenol 67, 463
Isosorbide dinitrate 297

Juvenile female rat 529

L1210 leukemia cells 317
Lateral hypothalamic area 37
Leukocytes 275
Lipid peroxidation 43
Lipoxygenase 1
Liver 351
Liver microsomes 365
Lucite chamber 235
Luminal pH 235

Macrophages 275
MAO 151
Mast cells 165
MCI-154 397
Melatonin 225
Membranous glomerulonephropathy 101
Mepyramine 351
Metaraminol 491
Methamphetamine 197
Methoxamine 463
5-(ortho-Methoxyphenyl)methylenehydantoin 309
tele-Methylhistamine 449
MK-733 (simvastatin) 125
Morphine 197
Mucociliary clearance 375
Mucosal integrity 235
Muscarinic receptor 357
Myocardium 11
Myogenic cell growth 53
Myristica fragrans HOUTT 155
Myristicin 155

Nephritis 101
Nephrotoxicity 43
Neuroleptics 21
Neuropeptides 181
Neurotropin 187
Nicainoprol 245
Nicotine 455
Nifedipine 59, 205
Nitroprusside 463
Nociceptive stimuli 449
Non-benzodiazepine 337
Noradrenaline release 187
Norepinephrine 139

OM-853 413
OPC-12759 441
Oren-gedoku-to 301
Oxotremorine 357

PAF 441
Pancreas (dog) 77
Pancreas (rat) 471
Pantoyl-GABA 407
Paraventricular nucleus 37
Passive avoidance 111
Pentylenetetrazol 267
Peptide 165
Phagocytosis 275
Pharmacokinetics 297
Phenol 535
Phenytoin analogue 309
Phorbol esters 1
Phosphodiesterase inhibitor 77
PI-response 95
Picrotoxin 267
Pinacidil 205
Pineal 225
Plasma concentration 245

Plasma extravasation 389
Platelet 501
Polymorphism 433
Prednisolone 101
Preoptic area 37
Proamipide 441
Progesterone 95
Propranolol 67
Prostaglandin(s) 455, 535
Prostaglandin H_2 511
Prostaglandin I_2 511
Prostaglandin synthesis 483
Protein kinase C 1
Proteolytic digests 165
Pulmonary surfactant 375
Pulmonary vein (dog) 139

Radioligand binding assay 351
Reoxygenation-induced contraction 83
Reverse tolerance 197

Sedative-hypnotic 309
Serotonin *See* 5-Hydroxytriptamine
S''R 173
Skin tumor promotion 1
Smooth muscle 59, 95
Species difference 397
Spinal push-pull perfusion 181
SR Ca^{2+}-uptake 397
Step-down method 111
Stomach 235
Stress 111, 187, 293, 297, 436
Striatal dopaminergic system 215
Striatum 413
Submandibular gland cells 491
Substance P 293, 389
Sulfhydryls 27
Superoxide dismutase 43
Surface-active phospholipids 375

Testosterone hydroxylase 365
Thiadiazole 135
Thromboxane A synthetase inhibitor 501
Transferrin 53
Traxanox 275
Tumor neutralizing activity 423

Urethane 523
Urotoxicity 147

Vaginal opening 529
Vas deferens 59, 531
Vascular permeability 27, 155
Vasodilation 463
Vasopressin antagonist 357
Ventricular arrhythmia 245
Vitamin D toxicity 381

Wet-dog shaking 21

Yohimbine 523